

Appl. No. 09/741,960

REMARKS

The Office Action dated December 17, 2001 presents the examination of claims 18-27, claims 28 and 29 being withdrawn from consideration. Claims 18-27 are amended. Claims 28 and 29 are canceled. A version of the claims with markings is attached hereto to show the amendments made. Claims 30 and 31 are added. Support for claims 30-31 is found in the specification on page 3, line 33 to page 4, line 2. No new matter is inserted into the application.

*Supplemental Reply*

In the Reply after Final under 37 C.F.R. § 1.116 filed on June 17, 2002, Applicants amended claims 18-27 and added claims 30-35. Upon further consideration, Applicants have decided that in order to place the present application into immediate condition for allowance, non-elected claims 28 and 29 should be canceled, and only a corresponding number of new claims (i.e. claims 30 and 31) should be added.

Applicants respectfully submit that the present Supplemental Reply should place the application into condition for allowance. However, in the event that any issues remain precluding allowance of the present application, the Examiner is respectfully requested to contact Kristi L. Rupert, Ph.D. (Reg. No. 45,702) at 703-205-8000 to schedule a personal interview.

Appl. No. 09/741,960

***Election/Restriction (Paragraphs 1-2 of the Office Action)***

The Examiner has constructively withdrawn claims 28 and 29 from consideration for allegedly being drawn to an invention independent and distinct from that of claims 18-27. Claims 28 and 29 are canceled, thus rendering the restriction requirement moot.

***Claim Objections (Paragraph 3 of the Office Action)***

The Examiner objects to claims 21-27 for being improperly dependent from the canceled claim 1. In response to the Examiner's remarks, Applicants amend claims 21-27 to correct the claim dependencies so that the claims depend only from pending claims. Thus, the instant objection is overcome.

***Response to Amendment (Paragraph 4 of the Office Action)***

The Examiner requests support for the claims added in the Amendment filed on September 4, 2001.

Claims 18-26 are drawn to a device for the analysis of biological molecules linked to a fluorophore. Support for claim 18 is found in the specification, particularly on page 3, lines 26-31. Support for claim 19 is found on page 4, lines 17-19. Support for claim 20 is found 4, lines 19-21. Support for claim 21 is found on page 4, lines 26-32. Support for claim 22 is found on 4, lines 21-22. Support for claim 23 is found on page 4, lines 7-8. Support for claim 24 is found on page 4, lines 22-23. Support for claim 25

Appl. No. 09/741,960

is found on page 4, lines 23-25. Support for claim 26 is found in original claim 14.

Claim 27 is directed to a device for receiving a light beam from a light source used in the excitation, detection, and analysis of biological molecules linked to a fluorophore. Support for claim 27 is found in the specification, such as on page 1, line 29 to page 2, line 2.

Claims 28 and 29 are canceled.

Applicants respectfully submit that the above statements properly identify support for claims 18-27 in the specification such that 37 C.F.R. § 1.121(b)(2)(iii) is satisfied.

***Rejections under 35 U.S.C. § 112, second paragraph (Paragraphs 5-9 of the Office Action)***

The Examiner rejects claims 18-27 under 35 U.S.C. § 112, second paragraph for allegedly being indefinite. Applicants respectfully traverse. Reconsideration of the claims and withdrawal of the instant rejection are respectfully requested.

***Claims 18-27***

The Examiner rejects claims 18-27 for allegedly being confusing. Specifically, the Examiner asserts that it is unclear whether the claims are intended to be device claims. Applicants clarify that the claims do encompass devices *per se*, and amend

Appl. No. 09/741,960

claim 18 such that the components of the device are more clearly set forth. Thus, the instant rejection is overcome.

*Claims 18-27*

The Examiner asserts that claims 18-27 are incomplete for missing "necessary structural connections." In response to the Examiner's remarks, Applicants amend claims 18-27 to clarify the structural relationships that exist between the components of the claimed device. Thus, the instant rejection is overcome.

*Claims 21-27*

The Examiner points out that claims 21-27 depend from canceled claim 1. In response to the Examiner's remarks, Applicants correct the claim dependencies so that the claims only depend from pending claims. Thus the instant rejection is overcome.

Applicants respectfully submit that the instant claims fully comply with 35 U.S.C. § 112, second paragraph. Withdrawal of the instant rejection is respectfully requested.

***Rejection under 35 U.S.C. § 102(b) (Paragraph 10 of the Office Action)***

The Examiner rejects claims 18 and 19 under 35 U.S.C. § 102(b) for allegedly being anticipated by Squirrell '337 (USP 5,750,337).

Appl. No. 09/741,960

Applicants respectfully traverse. Reconsideration of the claims and withdrawal of the instant rejection are respectfully requested.

Squirrell '337 discloses a "fibre optic evanescent wave device" comprising a light source (six watt tungsten filament), filters and masks directing the light, a beam splitting device, a focusing lens, a waveguide, and a detector device (see column 7, lines 13-30).

Applicants respectfully submit that Squirrell '337 fails to anticipate the present invention. To anticipate a claim under the meaning of 35 U.S.C. § 102, the cited reference must teach every element of the rejected claim. U.S. Pat. & Trademark Off., *Manual Pat. Examining Proc.* § 2131 (8th ed. 2001). In the instant case, Squirrell '337 fails to teach each and every element of the rejected claims 18 and 19.

Claim 18 is directed to a device for the analysis of biological molecules linked to a fluorophore comprising a light source emitting at least one laser beam; a waveguide support capable of supporting total internal reflection comprising a top surface, a bottom surface and at least one edge surface, wherein said biological molecules are affixed to said top surface; means for directing said at least one laser beam into said edge of said waveguide support; and a charge couple device for detecting emission spectra of said biological molecules. Claim 19 is directed to the device of claim 18, further comprising a transparent

Appl. No. 09/741,960

hexahedron.

Squirrell '337 fails to disclose a light source emitting at least one laser beam. The light source used by Squirrell is a tungsten filament. As noted above, the device of the present invention comprises a light source emitting at least one laser beam. Support for this feature of the present invention is found on page 2, line 33 to page 3, line 2.

Thus, Squirrell '337 fails to disclose each and every claimed element of the present invention, and cannot anticipate the present invention under the meaning of 35 U.S.C. § 102. Withdrawal of the instant rejection is respectfully requested.

#### **Conclusion**


Applicants respectfully submit that the above remarks and/or amendments address and overcome the outstanding rejections of record. The present application is now in condition for allowance. Early and favorable action by the Examiner is therefore respectfully requested.

Appl. No. 09/741,960

concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By   
Marc S. Weiner, #32,181

<sup>KLR</sup>  
MSW/KLR  
2329-0104P  
Attachments

P.O. Box 747  
Falls Church, VA 22040-0747  
(703) 205-8000

Certificate of Transmission  
I hereby Certify that this correspondence is being  
transmitted to the Patent and  
Trademark Office:  
July 16, 2002  
Date  
J. Bryan  
Signature  
J. Bryan  
Printed name of person signing certificate

Appl. No. 09/741,960

CLAIM VERSION WITH MARKINGS TO SHOW CHANGES MADEIN THE CLAIMS:

The following claims are amended.

Claim 18. (Amended) A device for [receiving a light beam from a light source used in] the analysis of biological molecules linked to a fluorophore, comprising: [wherein said biological molecules are affixed to a top surface of]

a light source emitting at least one laser beam;

a waveguide support capable of supporting total internal reflection [and further] comprising a top surface, a bottom surface and at least one edge surface, wherein said biological molecules are affixed to said top surface;

[said device comprising] means for directing said at least one laser [light] beam into said edge of said waveguide support; and

a charge couple device for detecting emission spectra of said biological molecules.

Claim 19. (Amended) The device of claim 18, further comprising a transparent hexahedron [to direct said light beam into said edge of said waveguide support to effect total internal reflection, placed] located between said light source and said waveguide support,

wherein said transparent hexahedron occupies the same plane as said at least one laser [light] beam and revolves around an axis



Appl. No. 09/741,960

perpendicular to said at least one laser [light] beam and directs said at least one laser beam into said edge of said waveguide support to effect total internal reflection.

Claim 20. (Amended) The device of claim 18 [1], further comprising an optical wedge [to direct said light beam into said waveguide support to effect total internal reflection, wherein said optical wedge is placed] located between said light source and said waveguide support and [revolves] revolving around an axis approximating said at least one laser [light] beam,

wherein said optical wedge directs said at least one laser beam into said waveguide support to effect total internal reflection.

Claim 21. (Amended) The device of claim 18 [1], further comprising a cylindrical lens [to direct said light beam into said edge of said waveguide support to effect total internal reflection, wherein said cylindrical lens is placed] located between said light source and said waveguide support [for focusing said light beam into a shape smaller than said edge of said waveguide support, and moves] and moving perpendicular to the plane of said at least one laser [light] beam,

Appl. No. 09/741,960

wherein said optical wedge focuses said at least one laser beam into a shape smaller than said edge of said waveguide support to effect total internal reflection.

Claim 22. (Amended) The device of claim [1] 18, wherein said means for directing said at least one laser beam comprises a mirror located adjacent to said waveguide support,

wherein said mirror directs said at least one laser [to direct said light] beam into said edge of said waveguide support to effect total internal reflection[, wherein said mirror is placed adjacent to said waveguide].

Claim 23. (Amended) The device of claim [1] 18, further comprising a diffraction grating [to selectively allow light of a specific wavelength to excite said fluorophore, wherein said diffraction grating is placed] located between said light source and said waveguide support,

wherein said diffraction grating selectively allows light of a specific wavelength to excite said fluorophore linked to said biological molecules.

Claim 24. (Amended) The device of claim [1] 18, further comprising an optical prism located [to direct said light beam into said edge of said waveguide support to effect total internal

Appl. No. 09/741,960

reflection, wherein said optical prism is placed] adjacent to said waveguide support,

wherein said optical prism directs said at least one laser beam into said edge of said waveguide support to effect total internal reflection.

Claim 25. (Amended) The device of claim [1] 24, further comprising a transparent liquid [to direct said light beam into said edge of said waveguide support to effect total internal reflection, wherein said transparent liquid is placed] located between said waveguide support and said optical prism and possesses a refractive index about equal to the refractive indices possessed by said waveguide support and said optical prism,

wherein said transparent liquid directs said at least one laser beam into said edge of said waveguide support to effect total internal reflection.

Claim 26. (Amended) The device of claim [1] 18, further comprising bandpass filters [to separate emission spectra, wherein said bandpass filters are placed] located between said waveguide support and [a charge - coupled] said charge coupled device,

wherein said bandpass filters are positioned to receive emitted light and separate emission spectra from said fluorophore.

Appl. No. 09/741,960

Claim 27. (Amended) A device for receiving a laser [light] beam from a light source used in the excitation, detection, and analysis of biological molecules linked to a fluorophore[, wherein said biological molecules are affixed to a top surface of a waveguide support further comprising a bottom surface and at least one edge surface, said device] comprising:

- a) a light source emitting at least one laser beam;
- b) a waveguide support capable of supporting total internal reflection comprising a top surface, a bottom surface and at least one edge surface, wherein said biological molecules are affixed to said top surface;
- c) a transparent hexahedron [to direct said light beam into said edge of said waveguide support to cause effect internal reflection, wherein said transparent hexahedron is] located adjacent to said light source, [occupies] occupying the same plane as said at least one laser [light] beam, and [revolved] revolving around an axis perpendicular to said at least one laser [light] beam;
- b) an optical wedge [to direct said light beam into said edge of said waveguide support to effect total internal reflection, wherein said optical wedge is] located adjacent to said transparent hexahedron and [revolves] revolving around an axis approximating said at least one laser [light] beam;

Appl. No. 09/741,960

c) a cylindrical lens [to direct said light beam into said edge of said waveguide support to effect total internal reflection, wherein said cylindrical lens is] located adjacent to said optical wedge, [focuses said light beam into a shape smaller than said edge of said waveguide support,] and [moves] moving perpendicular to the plane of the at least one laser [light] beam, wherein said cylindrical lens focuses said at least one laser beam into a shape smaller than said edge of said waveguide support; and

d) a mirror [to direct said light beam into said edge of said waveguide support to cause total internal reflection, wherein said mirror is] located adjacent to said cylindrical lens;

wherein said transparent hexahedron, optical wedge, cylindrical lens, and mirror direct said at least one laser beam into said edge of said waveguide support to effect total internal reflection.

Claims 28 and 29 are canceled.

Claims 30-31 are added.

3:45 PM 7/16/02 Transmission Record  
Received from remote ID "703 2058050"  
Unique ID: "BSI3D3441A00099"  
Elapsed time: 10 minutes, 10 seconds.  
Used channel 2.  
No ANI data.  
No AOC data.  
Resulting status code (0): No Errors  
Pages sent: 1 - 26